
[illegible]

QUANTITY	DAX	DESCRIPTION
12	0126612	.084 PIN
1	0124575	12 WAY MATE-N-LOK CAP

C1 CAP WITH PINS

AMP MATE-N-LOK
1-480709-0



- #1 BLACK - GND
- #2 GRAY - RF+
- #3 GRY/BLK - RF-
- #4 YELLOW - BAT
- #5 WHITE - LF+
- #6 WHT/BLK - LF-
- #7 RED - IGN
- #8 VIOLET - RR+
- #9 VIO/BLK - RR-
- #10 ORANGE - ILL
- #11 GREEN - LR+
- #12 GRN/BLK - LR-

NOTE:

1. ASSEMBLY TO BE A MINIMUM OF 6" IN LENGTH.
2. ALL UNUSED WIRING TO BE TIED BACK FOR LATER USE.
3. ILLUMINATION WIRE TO BE CONNECTED ONLY IF SUPPLIED IN RADIO PIGTAIL.

REV	DESCRIPTION	DATE	BY	ECN	ALL CONNECTORS SHOWN ARE FRONT VIEW UNLESS OTHERWISE NOTED.	THOR MOTOR COACH
1	ADDED CUTLIST TO PRINT	1/26/12	MCH	-	ALL WIRE MUST BE 125°C UNLESS OTHERWISE NOTED. ALL LEGENDED WIRE TO BE PRINTED EVERY 4" & THE FULL LENGTH OF WIRE. WIRE SHOULD BE 125°C MINIMUM TOLERANCES: * 1 ± .05" * 2 ± .05" * 3 ± .05" REFERENCE TEE0135 XLS FOR CUTLIST	DESIGNED BY MSH CHECKED BY 1 DATE 3/11/2014 RADIO PIGTAIL TERMINATION
						SEE PRINT INDEX
						© CONVENTIONAL AND PROPRIETARY INFORMATION OF THOR MOTOR COACH, INC. WITHOUT OUR EXPRESSED WRITTEN CONSENT. TEE0135 1

